





Life one year after stroke results from the Riksstroke quality-of-care review



Professor Mia von Euler, Örebro University
Chair the Swedish stroke registry Riksstroke
On behalf of the steering committee of Riksstroke





A national quality register

Opt out

Sweden 10.4 million inhabitants

The 72 hospitals in Sweden with an acute stroke unit participate









A national quality register

Opt out

Sweden 10.4 million inhabitants

The 72 hospitals in Sweden with an acute stroke unit participate








# The Swedish stroke registry, Riksstroke

Sweden 10.4 million inhabitants

All 72 hospitals in Sweden with an acute stroke unit participate

- Acute report by hospital professionals
- 3 months after stroke, patient survey
- 1 year after stroke, patient survey some years
- 3 year after stroke, patient survey some years






# The Swedish stroke registry, Riksstroke

Sweden 10.4 million inhabitants

All 72 hospitals in Sweden with an acute stroke unit participate

- Acute report by hospital professionals
- 3 months after stroke, patient survey
- 1 year after stroke, patient survey some years
- 3 year after stroke, patient survey some years










### Stroke in Sweden during the last decade








#### Methods

- One year after stroke a survey was sent out to all survivors (14,991 persons)
- 73 % responded
- 70 % responded independently
- 20 % responded with help of other
- 7 % relative responded



DeadAlive respondingAlive, not responding






#### Methods

 One year after stroke a survey was sent out to all survivors (14,991 persons)

73 % responded

- 70 % responded independently
- 20 % responded with help of other
- 7 % relative responded



Dead Alive responding Alive, not responding






#### Results:

# Dependency in Activities of daily living (ADL)

- 76% were living independently
- Need of help with ADL
  - 19% in persons 75 years and above
  - 9% in younger persons








### Results: Pain

- 26% often or always in pain
- Younger patients more often not satisfied with pain relief
- Large regional variations: 6-22% fully satisfied

#### Effect pain treatment




- Entirely effective Partly effective
- Not effective






# Results: 3 years after stroke

#### Effect pain treatment



- Reading and writing
- Memory
- Concentration
- Fatigue













- Reading and writing
- Memory
- Concentration
- Fatigue







- Reading and writing
- Memory
- Concentration
- Fatigue








The Swedish Stroke Register


- Reading and writing
- Memory
- Concentration
- Fatigue






Fatigue 3 years

Fatigue 1 year












### Results: Depression

- Do you feel depressed or sad?
- Of those always feeling depressed
  - Medication: 47 %
  - Therapy: 2 %
  - Medication + therapy: 8 %







# Results: Depression at 3 years after stroke


- Do you feel depressed or sad?
- Treated for depression

• No: 78%

• Medication: 15%

• Therapy: 1%

Medication + therapy: 2%








# Results: Satisfaction with rehabilitation

- Indicator: >87%
- Younger men most satisfied
- Women>75 ys least satisfied







#### Conclusion

- Many live a very good life one year after stroke
- There are unmet needs
- Structured follow up and better rehabilitation, particularly for elderly, is needed





# On behalf of the Riksstroke steering committee

- Anneli Torsfeldt Heikenborn, patient representative
- Anna Bråndal, PT, PhD
- Bo Norrving, MD, PhD
- Christina Sjöstrand, MD, PhD
- Elisabeth Ronne Engström, MD, PhD
- Hannele Hjelm, RN
- Katharina Stibrant Sunnerhagen, MD, PhD
- Marie Eriksson PhD
- Per Wester, MD, PhD
- Signild Åsberg, MD, PhD
- Teresa Ullberg, MD, PhD
- Tommy Andersson, MD, PhD

## I'm very grateful to Riksstroke's statisticians

- Agnes Holma Weister
- Fredrik Jonsson
- Olivia Isaksson

and

to all patients who responded